











manooi LINEA W














manooi Linea W









manooi Linea W










manooi Linea W





Apostol u. 13/B. H-1023 Budapest, Hungary

phone: +36 1 33 626 90




fax: +36 1 33 626 99

info@manooi.com

[www.facebook.com/Manooi](https://www.facebook.com/Manooi)

[www.manooi.com](http://www.manooi.com)



L	Length		COLLECTION:		Crystalight						
W	Width		Type:	wall mounted luminaire							
H	Height		Structure:	polished stainless steel							
∅	Diameter		Trimmings:	full-cut crystal octagons and pendants in various sizes and forms							
+	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains		Pinnings:	nickel plated rings							
~110V	110 V	<b>MODEL</b>	<b>DIMENSIONS cm</b>				<b>PACKAGE cm</b>			<b>Σ kg</b>	
~230V	230 V		L	W	H	kg	L	W	H		
CE	Product conforms to European Community Directive		Linea W 16/35	16	9	35	2	27	27	12	2
PG	Product conforms to GOST R		Linea W 20/35	20	9	35	2	27	27	12	2
↑	Fixable to ceiling		Linea W 25/35	25	9	35	2	27	27	12	2
→	Fixable to wall		Linea W 40/35	40	9	35	3	55	35	22	11
↓	Table lamp		Linea W 60/35	60	9	35	5	75	35	22	14
💡	E14 Light bulb		Linea W 80/35	80	9	35	7	95	35	22	17
G9	G9 Halogen		Linea W 100/35	120	9	35	8	115	35	22	19
G4	G4 Halogen		Linea W 120/35	120	9	35	9	135	35	22	21
LED	LED					<p>IF NOT MARKED OTHERWISE:  safety classification IP20 for all fittings  units in cm, kg,  all products supplied with voltage 110V upon request  illustrations and descriptions for informative purposes only</p>					
⚡	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.										
F	Lights are fixable to fiery surface directly										