

# B. DAVID LEVINE

L O S   A N G E L E S



# B. DAVID LEVINE

L O S A N G E L E S



COLLECTION: Crystalight

Type: suspended chandelier  
 Structure: polished stainless steel  
 Trimmings: full-cut crystal octagons and pendants in various sizes and forms

Pinnings: nickel plated rings  
 Suspension: galvanized bowden - Ø 1,5 mm  
 Bulb: max 60 W - G9 halogen  
 Cable: transparent PVC+PVC - 250 cm  
 Ceiling Rose: polished chrome-plated steel

MODEL

DIMENSIONS cm

PACKAGE cm

L W H kg L W H Σ kg

POLARIS



Polaris	70/37	70	37	14	7	85	52	27	18
Polaris	100/53	100	53	16	12	115	68	27	26
Polaris	120/65	120	65	18	16	135	80	27	35



IF NOT MARKED OTHERWISE:  
 safety classification IP20 for all fittings  
 units in cm, kg,  
 all products supplied with voltage 110V upon request  
 illustrations and descriptions for informative purposes only

# B. DAVID LEVINE


L O S A N G E L E S



	<p>COLLECTION: Crystalight</p> <p>Type: suspended chandelier          Structure: polished stainless steel          Trimmings: full-cut crystal octagons and pendants in various sizes and forms</p> <p>Pinnings: nickel plated rings          Suspension: galvanized bowden - Ø 1,5 mm          Bulb: max 60 W - G9 halogen          Cable: transparent PVC+PVC - 250 cm          Ceiling Rose: polished chrome-plated steel</p>
---	--

MODEL	DIMENSIONS cm				PACKAGE cm			Σ kg
	L	W	H	kg	L	W	H	

<p>POLARIS +</p> 
--















Polaris + 70/37	70	37	17	9	85	52	27	20
Polaris + 100/53	100	53	20	16	115	68	27	30
Polaris + 120/65	120	65	23	21	135	80	27	40



		<p>IF NOT MARKED OTHERWISE:          safety classification IP20 for all fittings          units in cm, kg,          all products supplied with voltage 110V upon request          illustrations and descriptions for informative purposes only</p>
---	---	--

# B. DAVID LEVINE

L O S A N G E L E S

L	Length
W	Width
H	Height
Ø	Diameter
	Chandeliers with + sign: the top of the chandelier is also covered with crystal chains
	110 V
	230 V
	Product conforms to European Community Directive
	Product conforms to GOST R
	Fixable to ceiling
	Fixable to wall
	Table lamp
	E14 Light bulb
	G9 Halogen
	G4 Halogen
	LED
	Only basic insulation, accesible conductors are earthed. Earthing: compulsory.
	Lights are fixable to fiery surface directly